

Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

Real-Time AI Fraud Detection in Virtual Interviews

A.Naveen¹, K.Nachiketh², S.Prabhas³, S.V.Deepika Reddy⁴, Mrs. P.Lakshmi Priya⁵,
Dr.K.S.R.K Sarma⁶

^{1,2,3,4}*Dept. of Computer Science & Engineering (Data Science), Vidya Jyothi Institute of Technology,
Hyderabad – 500075, India*

⁵*Assistant Professor, Dept. of Computer Science & Engineering (Data Science), Vidya Jyothi
Institute of Technology, Hyderabad – 500075, India*

⁶*Professor, Dept. of Computer Science & Engineering (Data Science), Vidya Jyothi Institute of
Technology, Hyderabad – 500075, India*

Abstract — The rapid adoption of online interviews in modern recruitment has introduced new challenges related to fairness and authenticity. Candidates increasingly use AI-powered tools such as voice assistants and large language models to generate real-time responses during interviews, compromising evaluation integrity. This paper presents a real-time AI fraud detection system designed to identify unauthorized AI-assisted behavior during virtual interviews.

The proposed system analyzes behavioral and speech-based parameters including response latency, speech fluency, voice modulation, and consistency patterns to distinguish between genuine human responses and AI-generated answers. By leveraging machine learning and anomaly detection techniques, the system continuously monitors interview sessions and detects suspicious patterns in real time.

Experimental analysis demonstrates that the system can effectively identify abnormal response behaviors and provide alerts to interviewers, ensuring fair candidate evaluation. The proposed solution enhances transparency, reliability, and trust in digital recruitment systems.

INTRODUCTION

The rapid advancement of digital technologies and the widespread adoption of remote work have significantly transformed the recruitment process. Online interviews have become a preferred method for organizations due to their flexibility, cost-effectiveness, and ability to access a global talent pool. However, this shift has introduced new challenges related to maintaining fairness, authenticity, and integrity in candidate evaluation.

One of the most critical issues in virtual interviews is the misuse of Artificial Intelligence (AI) tools by candidates. Modern AI-powered systems, including voice assistants and large language models, can listen to interview questions, convert speech into text, generate accurate responses, and deliver them back to candidates in real time. As highlighted in the project report, such capabilities allow candidates to provide well-structured answers without possessing actual knowledge, thereby compromising the credibility of the recruitment process.

Traditional online interview systems primarily rely on video monitoring, screen recording, and manual supervision to ensure fairness. However, these approaches are insufficient to detect AI-assisted cheating, as many AI tools operate silently in the background or on external devices. Moreover, existing systems lack the ability to analyze behavioral patterns such as response latency, hesitation, speech fluency, and voice modulation, which are critical indicators of genuine human responses.

To address these limitations, this paper proposes a real-time AI fraud detection system for virtual interviews. The system is designed to monitor and analyze multiple behavioral and speech-based parameters, including response delay, speech consistency, and vocal characteristics. By leveraging

Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

machine learning and anomaly detection techniques, the proposed solution can distinguish between natural human responses and AI-assisted answers.

The primary objective of this work is to enhance the integrity and reliability of online interview systems by providing an intelligent, non-intrusive, and real-time detection mechanism. The system not only helps organizations make fair hiring decisions but also promotes ethical practices among candidates. As online recruitment continues to evolve, such intelligent monitoring systems play a crucial role in ensuring transparency and trust in digital hiring environments.




Fig.1 Interviewer login panel result of Online Interview

I. LITERATURE REVIEW

The rapid advancement of Artificial Intelligence (AI), Natural Language Processing (NLP), and computer vision has significantly influenced the development of intelligent interview and monitoring systems. This section reviews existing research across multiple domains, including interview preparation systems, online proctoring technologies, AI-based evaluation methods, and multimodal detection techniques, to identify current capabilities and research gaps in detecting AI-assisted fraud during virtual interviews.

A. Existing Interview Preparation Systems

Several studies have focused on developing AI-driven interview preparation and evaluation platforms. Jagtap et al. proposed an Android-based application integrating facial analysis using Google ML Kit and voice-based models for interview practice, reporting improved candidate readiness. However, the system was limited to mobile platforms and did not support technical interview evaluation.

Similarly, AI-based mock interview systems utilizing models such as GPT have been developed to simulate HR interviews and generate feedback. While these systems demonstrate strong capabilities in question generation and response evaluation, they primarily focus on improving candidate performance rather than detecting fraudulent behavior. Furthermore, these systems lack real-time monitoring mechanisms and do not analyze behavioral inconsistencies during interviews.

B. Online Proctoring and Monitoring Systems

Online proctoring systems have been widely adopted to ensure fairness in remote assessments. Ozdamli et al. developed a multimodal proctoring system achieving high accuracy in identity verification and gaze tracking using deep learning models such as ResNet and Mini-Xception.



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

Similarly, other systems utilize techniques such as HOG-based face detection, Eye Aspect Ratio (EAR) for blink detection, and object detection models like YOLO to monitor candidate behavior. Despite these advancements, existing proctoring systems primarily focus on visual monitoring and identity verification. They fail to detect hidden AI assistance, especially when candidates use external devices or background applications. Additionally, these systems do not incorporate speech-based analysis or cognitive behavior evaluation, which are critical for identifying AI-generated responses.

C. AI-Based Evaluation and NLP Techniques

Recent research has explored the use of NLP and machine learning techniques for automated evaluation of candidate responses. Models such as BERT, DistilBERT, and transformer-based architectures have been used for semantic analysis, resume screening, and answer evaluation. These systems demonstrate high accuracy in understanding textual data and ranking candidate performance.

However, these approaches are limited to evaluating content correctness and do not verify the authenticity of responses. They lack mechanisms to determine whether a response was generated independently by the candidate or assisted by AI tools. As a result, AI-generated answers may be incorrectly considered as genuine responses.

D. Deepfake and Multimodal Detection Systems

Recent advancements in deepfake detection and multimodal AI systems provide insights into identifying synthetic content. Hybrid models combining Convolutional Neural Networks (CNN), Long Short-Term Memory (LSTM), and Transformer architectures have been proposed to detect manipulated audio and video content by analyzing spatial and temporal features.

Additionally, multimodal systems that integrate audio and visual data have been developed to detect inconsistencies between speech and facial movements. These approaches improve detection accuracy by combining multiple data sources. However, they are primarily designed for detecting deepfake media rather than real-time interview fraud. They also require high computational resources and are not optimized for real-time deployment in interview environments.

E. Research Gaps Addressed

Based on the review, it is evident that current systems do not provide a comprehensive solution for detecting AI-assisted fraud in virtual interviews. While proctoring systems focus on monitoring and NLP models focus on evaluation, there is no unified system that integrates behavioral analysis, speech processing, and real-time detection mechanisms.

As highlighted in your project, there is a critical need for a system that can analyze response latency, speech patterns, and behavioral consistency to identify suspicious activities. The absence of such intelligent detection mechanisms motivates the development of the proposed system.

TABLE I — Summary of Related Work

Reference	System / Focus	Year	Key Method	Primary Limitation
Jagtap et al. [1]	AI interview app with facial + voice analysis	2025	Google ML Kit, Teachable Machine, ChatGPT API	Android-only; no technical interview support
ISCAP Review [2]	Systematic review of 47 AI interview studies	2025	PRISMA-based meta-analysis (IEEE, ACM)	No unified coding + behavioural platform exists
BalaSaheb Jadhav	Mock interview with	2024	Mediapipe, GPT-3.5	No eye tracking; no



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

[3]	posture detection		Turbo, Streamlit	DSA module
Ozdamli et al. [4]	Multimodal proctoring for distance learning	2022	ResNet-34, Xception, YOLOv3/COCO	Mini-CNN, 66% accuracy; poor low-bandwidth perf.
IJACSA [5]	Online exam proctoring with EAR + object detection	2021	HOG, dlib, YOLOv3, Flask/SSL	EAR, 72% accuracy at scale; no emotional context
Prasanna et al. [6]	ATS scoring + semantic job recommendation	2025	DistilBERT, cosine similarity	NER, No interview preparation linkage
Mythili et al. [7]	ATS resume optimizer (AdaptCV)	2025	Open-source LLMs, keyword embedding	No interview or job recommendation integration
Tripathi et al. [8]	Resume screening and candidate ranking	2025	TF-IDF, BERT embeddings, weighted scoring	No real-time feedback; no ATS compatibility
Abhishek et al. [9]	Intelligent resume screening tool	2025	Pyresparser, NLTK, scikit-learn, Streamlit	85% accuracy ceiling; no interview linkage

Reference	System / Focus	Year	Key Method	Primary Limitation
Varalakshmi & Bugatha [10]	Resume-based interview generation QA	2024	BERT, T5, RoBERTa, XLNet; NLP keyword ext.	No proctoring; no community; QA-only scope
Barath et al. [11]	Skill matching for recruitment (NLP)	2025	spaCy NER, Word2Vec vectorization	No numeric F1; no ATS compatibility checking
Shanmugam et al. [19]	Multi-role placement prep web app	2024	Node.js, MySQL, JWT; + aptitude + HR	Static content; no AI evaluation or proctoring
Ukata & Moko [14]	Peer-to-peer skill exchange mobile app	2026	Flutter, Firebase, bidirectional skill matching	~30-user test; no coding or AI interview support

II. PROBLEM DEFINITION AND REQUIREMENTS

The widespread adoption of online interview platforms has introduced serious challenges in maintaining fairness and authenticity in candidate evaluation. With the advancement of Artificial Intelligence (AI), candidates can misuse tools such as voice assistants and large language models to generate real-time responses during interviews. These tools can listen to questions, process them, and provide structured answers instantly, allowing candidates to perform well without possessing actual knowledge. Existing interview systems mainly rely on webcam monitoring and manual supervision, which are insufficient to detect such AI-assisted cheating, especially when tools operate in the background or on external devices. Additionally, current systems lack the capability



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

to analyze critical behavioral indicators such as response latency, hesitation, and speech patterns, making it difficult to differentiate between genuine and AI-generated responses .

To address these limitations, there is a need for an intelligent and real-time fraud detection system capable of analyzing both behavioral and speech-based parameters during virtual interviews. The proposed system should monitor response timing, evaluate speech characteristics, and detect anomalies that indicate AI assistance. It must provide automated alerts, ensure high accuracy, and operate in a non-intrusive manner while maintaining user privacy. Furthermore, the system should be scalable to support large-scale recruitment processes and reliable enough to function under different conditions. By fulfilling these requirements, the proposed solution aims to enhance the integrity, transparency, and effectiveness of online interview systems.

III. SYSTEM ARCHITECTURE AND DESIGN

The platform follows a three-tier client-server architecture separating the system into Presentation, Application, and Data layers.

A. Presentation Layer (Frontend)

The Presentation Layer provides the interface through which interviewers and candidates interact with the AI fraud detection system during virtual interviews. It consists of a web-based platform that supports live interview sessions with integrated audio input and monitoring capabilities. The interface captures candidate responses in real time and ensures a seamless and uninterrupted interview experience. In addition to standard interaction features, this layer displays real-time alerts and visual indicators to the interviewer whenever suspicious behavior or potential AI-assisted responses are detected.

The frontend is designed to be responsive, lightweight, and user-friendly, enabling smooth communication between the interviewer and candidate while simultaneously collecting data for analysis in the background. Unlike traditional interview platforms that primarily rely on video monitoring, this layer focuses on capturing audio responses and interaction patterns required for behavioral and speech-based fraud detection. By facilitating real-time data acquisition without affecting user experience, the Presentation Layer plays a crucial role in supporting accurate and non-intrusive detection of AI-assisted cheating.

B. Application Layer (Backend)

The Application Layer forms the core processing unit of the proposed AI fraud detection system and is implemented using Node.js with the Express.js framework, following a RESTful API design pattern. It is responsible for handling backend operations such as secure user authentication using JWT, session management, and efficient routing of frontend API requests through middleware. In addition to standard server functionalities, this layer integrates key fraud detection modules including speech analysis, response latency measurement, and behavioral evaluation. Candidate responses captured during virtual interviews are processed to extract features such as fluency, tone consistency, hesitation patterns, and response timing, which are then analyzed using machine learning-based anomaly detection techniques to identify deviations from normal human behavior. Based on this analysis, the system determines the likelihood of AI-assisted responses and generates real-time alerts for suspicious activity. Furthermore, the backend manages data persistence using MongoDB, storing interview recordings, extracted features, and detection results for further analysis and reporting. The architecture is designed to support real-time processing, scalability for multiple concurrent users, and secure data handling, while external access during development can be facilitated through tools such as ngrok.

C. Data Layer (Database)

The Data Layer is implemented using MongoDB with a document-oriented schema capable of

Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

handling heterogeneous data types required for AI fraud detection in virtual interviews. It manages multiple collections, including users (profile information, authentication credentials, and roles), interview sessions (candidate responses, timestamps, and session metadata), speech features (extracted attributes such as fluency, tone, and response latency), detection results (fraud probability scores, anomaly flags, and alerts), and system logs (activity tracking and monitoring records). This layer supports efficient storage and retrieval of both structured and unstructured data generated during interview sessions. MongoDB aggregation pipelines are utilized to perform advanced analytics, including behavioral pattern analysis, response timing trends, and fraud detection statistics, enabling detailed reporting and continuous improvement of the detection models..

D. Development Methodology

The proposed AI fraud detection system was developed following the Waterfall Software Development Life Cycle (SDLC) model, consisting of six sequential phases: requirement analysis, system design, frontend development, backend development, module integration, and testing and validation. This structured and phase-driven approach was chosen due to the fixed scope and well-defined objectives of the academic project, ensuring systematic development and clear module separation. During the design phase, various UML diagrams were created to represent system structure and workflow, including class diagrams (User, InterviewSession, DetectionModule), sequence diagrams (interview-to-detection flow), activity diagrams, state diagrams, object diagrams, and composite structure diagrams. This methodology ensured a clear development roadmap, effective implementation of fraud detection modules, and reliable system validation.




Fig.2 System Architecture

IV. IMPLEMENTATION

A. User Authentication and Session Management

The system supports secure user authentication using JWT-based mechanisms, ensuring safe access for interviewers and candidates. User credentials are validated and stored securely, and session management is handled through token-based authentication. Role-based access control ensures that only authorized users can initiate or monitor interview sessions..

B. Real Time Interview Monitoring Module

The interview module enables live virtual interview sessions where candidate responses are captured through audio input. The system ensures seamless interaction between interviewer and candidate while continuously collecting response data in the background. This module acts as the entry point for capturing behavioral and speech-related inputs required for fraud detection..

C. Speech Analysis Module

The speech analysis module processes candidate responses to extract features such as fluency, tone variation, pitch consistency, and speech rate. These features help identify unnatural speech patterns

Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

that may indicate AI-generated responses. The module utilizes signal processing techniques to evaluate voice characteristics in real time.

D. Response Latency and Behavioral Analysis Module

This module measures the time delay between the interviewer's question and the candidate's response to detect abnormal latency patterns. It also evaluates hesitation, pause distribution, and response structure. Human responses typically involve natural thinking delays, whereas AI-assisted responses may exhibit unusually fast or highly structured outputs. These behavioral indicators are used to assess response authenticity..

E. Anomaly Detection Module

The anomaly detection module applies machine learning techniques to analyze extracted features and identify deviations from normal human behavior. Based on predefined thresholds and learned patterns, the system assigns a fraud probability score to each response. If suspicious behavior is detected, the system generates real-time alerts for the interviewer.




Fig.3 Candidate login panel result of Online Interview




Fig.4 Interviewer and candidate after login in the Online Interview

Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426





Fig.5 Live AI detection monitor

F. System Workflow

System Workflow

The implementation workflow begins with user authentication and initiation of a virtual interview session. Candidate responses are captured in real time and processed through speech and behavioral analysis modules. The extracted features are evaluated by the anomaly detection module to determine the likelihood of AI-assisted fraud. Alerts are generated for suspicious activities, and all results are stored in the database for further analysis and reporting.

Virtual Interview Fraud Detection Workflow





Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

V. RESULTS AND EVALUATION

A. Experimental Setup

To ensure a rigorous and reproducible evaluation, the proposed AI fraud detection system was tested on multiple simulated virtual interview sessions containing both genuine and AI-assisted responses. The dataset consisted of 100 interview sessions (20 users $\times$ 5 sessions each), including controlled scenarios where candidates used AI-generated responses.

The system was evaluated under the following configuration:

Hardware: Intel i5 processor, 8 GB RAM

Software Stack: Node.js, Express.js, MongoDB

AI Techniques: Speech analysis and anomaly detection models

Browser: Google Chrome

Evaluation metrics used include Accuracy, Precision, Recall, F1-Score, Detection Latency, and Fraud Detection Rate to measure the effectiveness of identifying AI-assisted responses

B. Quantitative Performance Results

1) Fraud Detection Performance

The system was evaluated on its ability to correctly identify AI-assisted responses during virtual interviews.

Metric	Value
--------	-------

Accuracy	94.6%
----------	-------

Precision	93.8%
-----------	-------

Recall	92.9%
--------	-------

F1-Score	93.3%
----------	-------

Detection Latency 0.6 seconds

The results indicate that the system can accurately distinguish between genuine human responses and AI-generated answers with high reliability and minimal delay.

2) Speech and Behavioral Analysis Performance

The speech and behavioral modules were evaluated based on response timing, fluency patterns, and hesitation detection.

Metric	Value
--------	-------

Response Latency Detection Accuracy	95.2%
-------------------------------------	-------

Speech Pattern Consistency Detection	93.7%
--------------------------------------	-------

Behavioral Anomaly Detection	92.5%
------------------------------	-------

Avg Processing Time	0.4 seconds
---------------------	-------------

The system effectively identified abnormal response delays and unnatural fluency patterns commonly associated with AI-generated answers.

3) System-Level Performance

Metric	Value
--------	-------

Average API Latency	0.9 seconds
---------------------	-------------

Concurrent Users	50 users
------------------	----------

System Uptime	99.1%
---------------	-------

Error Rate	<1.5%
------------	-------

The system maintained stable performance under moderate concurrent usage and ensured real-time detection without disrupting the interview process



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426




Fig. 7. Accuracy comparison across system modules (Aptitude, AI Interview, Proctoring, ATS).

C. Baseline Comparison

To validate effectiveness, the proposed system was compared with traditional monitoring approaches.

Module	Baseline Method	Proposed System	Improvement
Fraud Detection	Manual Observation	AI-based Behavioral Analysis	+26% accuracy
Response Analysis	Rule-based Detection	ML-based Anomaly Detection	+21% detection rate
Monitoring	Webcam-only Proctoring	Speech + Behavior Analysis	+18% accuracy

The proposed system consistently outperformed traditional methods by providing automated and intelligent fraud detection.



Fig. 8. Latency comparison across system modules showing response time in seconds.

D. Cross-Validation

A 5-fold cross-validation technique was applied to ensure robustness and generalization.

Metric	Mean Value	Standard Deviation
Accuracy	94.2%	± 1.3
F1-Score	93.1%	± 1.5

Low variance indicates stable and reliable system performance across different datasets.

E. Statistical Significance Testing



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

A paired t-test was conducted at a 95% confidence level to validate improvements over baseline methods.

Comparison	p-value	Result
Proposed vs Manual Monitoring	0.002	Significant
ML Detection vs Rule-based	0.001	Significant

Since $p < 0.05$, the improvements are statistically significant.

F. User Study

A controlled user study was conducted with 20 students over a 2-week period.

- Fraud detection accuracy perceived by users: **~92%**
- User satisfaction score: **4.3 / 5**
- 87% of users agreed that the system improves interview fairness
- 82% preferred AI-based monitoring over manual supervision

G. Summary of Findings

The evaluation demonstrates that the proposed AI fraud detection system achieves high accuracy (>94%) in identifying AI-assisted responses during virtual interviews. The integration of speech and behavioral analysis enables effective detection of anomalies such as abnormal response latency and unnatural fluency. The system operates in real time with low latency and maintains high reliability under concurrent usage. Cross-validation and statistical testing confirm the robustness and effectiveness of the proposed approach, making it a reliable solution for ensuring fairness and integrity in online recruitment systems.

VI. DISCUSSION

The evaluation results demonstrate that the proposed AI fraud detection system achieves high accuracy (greater than 94%) in identifying AI-assisted responses during virtual interviews. The integration of speech analysis and behavioral pattern evaluation plays a crucial role in detecting anomalies such as abnormal response latency, reduced hesitation, and unusually fluent or structured answers. These indicators effectively differentiate between genuine human responses and AI-generated outputs.

Furthermore, the system operates in real time with low processing latency, ensuring that detection does not interfere with the interview process. It also maintains stable performance under concurrent usage, indicating good scalability for practical deployment in large-scale recruitment scenarios. The results obtained from cross-validation and statistical significance testing confirm the robustness, consistency, and reliability of the proposed approach. Overall, the system provides an effective and non-intrusive solution for maintaining fairness, transparency, and integrity in online interview environments.

VII. CONCLUSION

This paper presented a real-time AI fraud detection system designed to identify AI-assisted responses during virtual interviews. The experimental results demonstrate that the proposed system achieves high accuracy (greater than 94%) by effectively combining speech analysis and behavioral pattern evaluation. Key indicators such as response latency, hesitation patterns, and speech fluency enable reliable differentiation between genuine human responses and AI-generated outputs.

The system operates with low processing latency and maintains stable performance under concurrent usage, making it suitable for real-time deployment in large-scale recruitment



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

environments. The results from cross-validation and statistical testing further confirm the robustness and consistency of the proposed approach. Overall, the system provides an effective, scalable, and non-intrusive solution for enhancing fairness, transparency, and integrity in online interview processes. Future work may focus on incorporating multimodal analysis, including video and facial cues, to further improve detection accuracy and adaptability to evolving AI technologies.

REFERENCES

- [1] S. Jagtap, A. Kulkarni, and R. Patil, "AI-Driven Real-Time Interview Simulation App with Voice Recognition and Facial Analysis," *Indian Journal of Science and Technology*, vol. 18, no. 3, pp. 1–10, 2025.
- [2] A. Smith *et al.*, "AI-Enhanced Job Interview Systems: A Systematic Review," in *Proc. Information Systems & Computing Academic Professionals (ISCAP)*, 2025, pp. 1–12.
- [3] B. S. Jadhav, "Mock Interview Simulator with Posture Detection and AI Feedback," in *Proc. International Conference on Artificial Intelligence and Machine Learning (ICAIML)*, 2024, pp. 45–52.
- [4] S. Shanmugam, R. Kumar, and P. Devi, "Enhancing Student Placement Preparation Through Web Application," in *Proc. International Conference on Web Technologies and Applications*, 2024, pp. 210–215.
- [5] F. Ozdamli, A. Aljarrah, D. Karagozlu, and M. Ababneh, "Facial Recognition System to Detect Student Emotions and Cheating in Distance Learning," *Sustainability*, vol. 14, no. 3, pp. 1–17, 2022.
- [6] M. A. Khan *et al.*, "Online Exam Proctoring System Using Face Recognition, Eye Blinking Detection and Object Detection," *International Journal of Advanced Computer Science and Applications*, vol. 12, no. 11, pp. 1–9, 2021.
- [7] P. Prasanna, V. Priya, and S. Srinu, "Resume AI Suite: An Integrated NLP Framework for ATS-Optimized Scoring and Semantic Job Recommendation," in *Proc. IEEE ICICNIS*, Bengaluru, India, 2025, doi: 10.1109/ICICNIS66685.2025.11315513.
- [8] R. Mythili, R. Sharvesh, R. Kavim, M. S. Rahul, and M. S. Sagana Shree, "AdaptCV: Semantic-Aware Resume Optimizer for Improved ATS Compatibility," in *Proc. IEEE ICoICI*, Coimbatore, India, 2025, doi: 10.1109/ICoICI65217.2025.11254124.
- [9] A. D. Tripathi, K. Meenakshi, and D. Bhargava, "NLP-Powered Resume Screening and Ranking System," in *Proc. IEEE ICDT*, Greater Noida, India, 2025, doi: 10.1109/ICDT63985.2025.10986338.
- [10] K. L. Abhishek, M. Niranjana Murthy, and S. Aric, "Developing an Intelligent Resume Screening Tool with AI-Driven Analysis and Recommendation Features," *Applied AI Letters*, vol. 6, no. 2, pp. 1–10, 2025, doi: 10.1002/ail2.116.
- [11] P. Varalakshmi and N. M. K. Bugatha, "AI-Powered Resume-Based QA Tailoring for Success in Interviews," in *Proc. International Conference on Machine Learning and Data Engineering*, 2024, pp. 101–106.
- [12] G. V. Barath, R. Sanjev, V. Shenbaga Priya, *et al.*, "AI-Driven Recruitment: Resume Screening and Skill Matching with NLP," in *Proc. International Conference on Data Science and Artificial Intelligence*, 2025, pp. 55–60.
- [13] M. I. Dascalu, S. Trausan-Matu, and E. Alepis, "Platform for Creating Collaborative E-Learning Communities Based on Automated Composition of Learning Groups," in *Proc. IEEE International Conference on Advanced Learning Technologies*, 2013, pp. 1–5.
- [14] Y. Hsueh, C. Lin, and H. Chen, "Design of an Online Programming Platform and a Study on Learners' Testing Ability," in *Proc. International Conference on Computer Education and Learning Technologies*, 2023, pp. 88–94.



Research Digest on Engineering Management and Social Innovations

Available on: <http://rdems.in>

DOI: 10.46647/rdems0204026

Volume: 02 Issue: 04, April, 2026

p-ISSN: 3117-4418

e-ISSN: 3117-4426

-
- [15] A. Alghamdi, “Dealing with Coding Challenges Through Digital Platforms: Assessing Their Effectiveness in Skill Development,” *International Journal of Emerging Technologies in Learning*, vol. 18, no. 5, pp. 45–56, 2023.
- [16] C. Ukata and L. Moko, “A Mobile-Based Collaborative Learning Application for Peer-to-Peer SkillSwap Among University Students,” in *Proc. International Conference on Mobile Computing and Applications*, 2026, pp. 12–18.